


EXHIBIT B



LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
COMPONENTS FOR RECEIVER, MP-11048		
1	Stop, Air Outlet, per R-W Dwg. No. 50406007	10
2	Cover, Air Outlet, per R-W Dwg. No. 50406008	10
3	Gasket, Air Outlet, per R-W Dwg. No. 50406009	25
4	Spring, per R-W Dwg. No. 50406202	25
5	Can, Shield, per R-W Dwg. No. 50406204	5
6	Plate, Backing, per R-W Dwg. No. 50406205	50
7	Board, Etched, per R-W Dwg. No. 50406258	2
8	Board, Etched, per R-W Dwg. No. 50406256	2
9	Clip, per R-W Dwg. No. 50406217	50
10	Pad, Insulating, per R-W Dwg. No. 50406218	50
11	Shim, per R-W Dwg. No. 50406219	25
12	Board, Etched, per R-W Dwg. No. 50406259	2
13	Clamp, per R-W Dwg. No. 50406232	10
14	Stud, per R-W Dwg. No. 50406233	10
15	Connector, Cathode, per R-W Dwg. No. 50406231	10
16	Flange, Cathode Connector, per R-W Dwg. No. 50406235	10
17	Spacer, per R-W Dwg. No. 50406236	20
18	Can, Shield, per R-W Dwg. No. 50406237	2
19	Spring, per R-W Dwg. No. 50406240	5

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
20	Shim, per R-W Dwg. No. 50406241	10
21	Washer, per R-W Dwg. No. 50406242	50
22	Connector, Heater, per R-W Dwg. No. 50406244	10
23	Connector, Anode, per R-W Dwg. No. 50406245	10
24	Board, Etched, per R-W Dwg. No. 50406257	2
25	Shim, per R-W Dwg. No. 50406305	10
26	Board, Etched, per R-W Dwg. No. 50406440	5
27	Shim, per R-W Dwg. No. 50406407	10
28	Spring, per R-W Dwg. No. 50406408	5
29	Board, Etched, per R-W Dwg. No. 50406541	6
30	Clip, per R-W Dwg. No. 50406503	25
31	Foil, per R-W Dwg. No. 50406504-1	25
32	Foil, per R-W Dwg. No. 50406504-2	25
33	Foil, per R-W Dwg. No. 50406504-3	25
34	Label, per R-W Dwg. No. 50406509-1 thru 24	50
35	Coil, Inductor, per R-W Dwg. 50406535-9	30
36	Spring, Resistor, per R-W Dwg. No. 50406536	25
37	Transformer, Adjustable, per R-W Dwg. No. 50406537	10
38	Choke, Dual, per R-W Dwg. No. 50406601	10

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
39	Spacer, Rectifier Support Bracket, per R-W Dwg. No. 50406602	5
40	Plate, Retaining, Filter Capacitor, per R-W Dwg. No. 50406603	5
41	Clamp, Filter Capacitor, per R-W Dwg. No. 50406606	5
42	Transformer, Filament, per R-W Dwg. No. 50406608	5
43	Screw, Retaining, Dual Inductor, per R-W Dwg. No. 50406609	10
44	Washer, Insulating, per R-W Dwg. No. 50406610	50
45	Spring, Retaining, per R-W Dwg. No. 50406865	50
46	Spring, per R-W Dwg. No. 50406901	10
47	Can Shield, per R-W Dwg. No. 50406902	15
48	Plate, Main, per R-W Dwg. No. 50406905	1
49	Bracket, Cover Mounting, per R-W Dwg. No. 50406907	10
50	Assembly, Top Cover, per R-W Dwg. No. 50406910	1
51	Assembly, Bottom Cover, per R-W Dwg. No. 50406911	1
52	Shim, per R-W Dwg. No. 50406912	15
53	Stud, per R-W Dwg. No. 50406933	10
54	Assembly, Stud, per R-W Dwg. No. 50406934	5
55	Housing, Cup, per R-W Dwg. No. 50406936	10
56	Gasket, per R-W Dwg. No. 50406944	15

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
57	Gasket, per R-W Dwg. No. 50406945	15
58	Can, per R-W Dwg. No. 50406946	10
59	Cover, per R-W Dwg. No. 50406947	10
60	Screen, per R-W Dwg. No. 50406950	10
61	Tube, per R-W Dwg. No. 50400951	10
62	Filter, per R-W Dwg. No. 50406952	10
63	Insert, Cover Mounting, per R-W Dwg. No. 50406955	25
64	Cap, Cover Mounting, per R-W Dwg. No. 50406956	25
65	Insert, Cover Mounting, per R-W Dwg. No. 50406957	15
66	Spacer, Cover Mounting, per R-W Dwg. No. 50406958	15
67	Screw, Captive, per R-W Dwg. No. 50406959	50
68	Spring, per R-W Dwg. No. 50406964	15
69	Spacer, per R-W Dwg. No. 50406965	200
70	Gasket, Main Plug, per R-W Dwg. No. 50406966	25
71	Bracket, per R-W Dwg. No. 50406971	10
72	Post, per R-W Dwg. No. 50406972	10
73	Screw, Captive, per R-W Dwg. No. 50406985	100
74	Lug, Spade, per R-W Dwg. No. 50406991	100
75	Shield, Connector, per R-W Dwg. No. 50406994	25

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
76	Pin, Polarizing, per R-W Dwg. No. 50406995	100
77	Nameplate, Caution, per R-W Dwg. No. 50406999	10
78	Board, Etched, per R-W Dwg. No. 8131-1001	2
79	Transformer, IF, 1.6 MC, per R-W Spec. 191	30
80	Transformer, IF, 16.96 MC, per R-W Spec. 192	20
81	Transformer, IF, 28.0 MC, per R-W Spec. 193	10
82	Transformer, IF, 28.0 MC, per R-W Spec. 194	10
83	Capacitor, .27 mmf 10%, Stackpole Type GA	60
84	Capacitor, .33 mmf 5%, Stackpole Type GA	150
85	Capacitor, 1.0 mmf 5%, Stackpole Type GA	90
86	Capacitor, Temp. Compensating, 3.3mmf 25%, Centralab TCZ-3.3	150
87	Capacitor, 3.3 mmf, Stackpole Type GA	300
88	Capacitor, 7.5 mmf 10%, Stackpole Type GA	60
89	Capacitor, Temp. Compensating, 15 mmf, Centralab N750-TCN-15	48
90	Capacitor, Fixed Glass, 10 mmf, 300 V 5%, Corning-Glass CY10C100J	105
91	Capacitor, Temp. Compensating, 10 mmf 600V 5%, Centralab TCZ	30
92	Capacitor, Temp. Compensating, 15 mmf 600V 5%, Centralab TCZ	12

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
93	Capacitor, Fixed, Glass, 18 mmf 300V 5%, Corning-Glass CY10C180J	105
94	Capacitor, Fixed, Glass, 15 mmf 300V 5%, Corning-Glass CY10C150J	4
95	Capacitor, Fixed, Glass, 20 mmf 300V 5%, Corning-Glass CY10C200J	75
96	Capacitor, Fixed, Glass, 22 mmf 10%, Corning-Glass, CY10C220K	100
97	Capacitor, Temp. Compensating, 22 mmf 2%, Centralab, Type TCZ	120
98	Capacitor, Fixed, Glass, 24 mmf 5%, Corning-Glass, CY10C240J	120
99	Capacitor, 47 mmf 10%, Radio Materials Corp. Type CN-750	73
100	Capacitor, Fixed, Glass, 100 mmf 1%, Corning-Glass CY10C101F	90
101	Capacitor, Ceramic Disc, 220 mmf, Radio Materials Corp. Type JL	60
102	Capacitor, Fixed, Glass, 220 mmf 300V 10%, Corning-Glass CY10C221K	90
103	Capacitor, Fixed, Glass, 220 mmf 300V 5%, Corning-Glass CY10C221J	30
104	Capacitor, Fixed, Glass, 270 mmf 300V 5%, Corning-Glass CY15C271J	4
105	Capacitor, 300 mmf 10%, Radio Materials Corp. Type JL W/Plug in leads	450
106	Capacitor, Fixed, Glass, 330 mmf 200V 5%, Corning-Glass CY15C331J	15
107	Capacitor, Fixed, Ceramic, 470 mmf, Sprague Type 507C Glass MRC	150

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
108	Capacitor, Ceramic Disc., 800 mmf 10%, Radio Materials Corp. Type JL	60
109	Capacitor, Fixed, Glass, 1000 mmf 300V 10%, Corning-Glass CY15C102K	75
110	Capacitor, Fixed, Metallized Paper, .01 mfd 200V 10%, Sprague 96P10392S4	90
111	Capacitor, Fixed, Metallized Paper, .01 mfd 200V 10%, Hopkins 1KT-2103K	60
112	Capacitor, Fixed, Metallized Paper, .01 mfd 200V 10%, Goodall 615G-10392	131
113	Capacitor, Fixed, Metallized Paper, .047 mfd 300V 10%, Sprague 96P47393S4	30
114	Capacitor, Fixed, Tantalytic, 8 mfd 180V, Mallory XTL-8A	60
115	Capacitor, Fixed, Metallized Paper, 1 mfd 200V 10%, Goodall 615G-10592	45
116	Form, Coil, Phenolic, Speer Carbon CFBR .156x3/8	150
117	Form, Coil, Z 25 Iron, Stackpole Carbon DR. 125x3/8	150
118	Form, Coil, Phenolic, Speer Carbon CFBR. 125x1/2	150
119	Form, Coil, GIF Iron, Stackpole Carbon DR. 125x1/2	100
120	Form, Coil, GIF Iron, Stackpole Carbon DR. 125x3/8	150
121	Form, Coil, Phenolic, Speer Carbon CFBR. 125x3/8	150
122	Form, Coil, Cambridge Thermionic Corp. PLST2C4LH	75
123	Lug, Cambridge Thermionic Corp. X-2021-2L	300

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
124	Choke, .22 mh 20%, Jeffers 10100-22	75
125	Choke, 1.0 mh 20%, Jeffers 10100-30	30
126	Choke, .33 mh 20%, Jeffers 10100-24	30
127	Choke, .15 mh 20%, Jeffers 10100-20	75
128	Choke, 1.2 mh, R.S. Electronics 8000-8088-8	28
129	Thermostat, 2.5A 115VAC, 2.0A28VDC, Fenwall 3200-1	30
130	Connector, Type BNC, UG-290/AU	15
131	Crystal, 8.350 mc, Submin. Type, with solder leads, MS 91377	60
132	Crystal, 8.700 mc, Submin. Type, with solder leads, MS 91377	45
133	Crystal, 9.050 mc, Submin. Type, with solder leads, MS 91377	45
134	Crystal, 9.400 mc, " " "	45
135	Crystal, 9.750 mc, " " "	45
136	Crystal, 10.100 mc, " " "	45
137	Crystal, 10.450 mc, " " "	45
138	Crystal, 10.800 mc, " " "	45
139	Crystal, 11.150 mc, " " "	45
140	Crystal, 11.500 mc, " " "	45
141	Crystal, 11.850 mc, " " "	45
142	Crystal, 12.200 mc, " " "	45

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
143	Crystal, 12.550 mc, Submin. Type with solder leads, MS 91377	45
144	Crystal, 12.900 mc, " " "	45
145	Crystal, 13.250 mc, " " "	45
146	Crystal, 13.600 mc, " " "	45
147	Crystal, 158.8 mc, HC 18/U $\pm$.005% Ser. Res., -55° $\pm$ 105°C Plug in leads	15
148	Crystal 91.600 mc, " " "	15
149	Crystal, 80.400 mc, " " "	15
150	Crystal, 170.00 mc, " " "	15
151	Crystal, 153.200 mc, " " "	15
152	Crystal, 86.000 mc, " " "	15
153	Crystal, 175.600 mc, " " "	15
154	Crystal, 164.400 mc, " " "	15
155	Crystal, 74.800 mc, " " "	15
156	Crystal, Quartz, 18.5375 kc, Type Submin. with solder leads ML18 MS 91377	34
157	Diode, Texas Instruments, 601C	175
158	Diode, Retma 1N-341	75
159	Diode, Hughes 6008	525
160	Potentiometer, Bourns 160-1-752	30

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
161	Resistor, Fixed, Wirewound, 470 ohm 1/2W 1%, Davohm 850T Metal Film	75
162	Resistor, Fixed, Wirewound, 680 ohm 3W 5%, Sprague 151-E-5%	60
163	Resistor, Fixed, Wirewound, 5.1K 1W 1%, Davohm 851T Metal Film	75
164	Resistor, Fixed, Wirewound, 7.5K 1W 1%, Davohm 851T Metal Film	75
165	Resistor, Fixed, Wirewound, 15K 1/2W 1%, Davohm 850T Metal Film	75
166	Tube, Vacuum 5636	75
167	Tube, Vacuum 5784	4
168	Tube, Vacuum 6021	302
169	Tube, Vacuum 5702	76
170	Tube, Vacuum 5899	75
171	Tube, Vacuum 6299	16
172	Transistor, Texas Instruments 903	228
173	Transistor, Texas Instruments 904	61
174	Transistor, Texas Instruments 953	93
175	Shield, Tube T3-351	135
ENCAPSULATED ASSEMBLIES FOR RECEIVER, MP 11048		
1	Assembly, Encapsulated Z701, R/W 50406410	40
2	" " Z702, R/W 50406411	50
3	" " Z703, R/W 50406412	35

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
4	Assembly, Encapsulated Z704, R/W 50406416	15
5	" " Z1801, R/W 50406510	15
6	" " Z1802, R/W 50406511	15
7	" " Z1803, R/W 50406512	15
8	" " Z1804, R/W 50406513	15
9	" " Z1805, R/W 50406514	15
10	" " Z1806, R/W 50406515	15
11	" " Z1807, R/W 50406516	15
12	" " Z1808, R/W 50406517	15
13	" " Z1809, R/W 50406518	15
14	" " Z1810, R/W 50406519	15
15	" " Z1811, R/W 50406520	15
16	" " Z1812, R/W 50406521	15
17	" " Z1813, R/W 50406522	15
18	" " Z1814, R/W 50406523	30
19	" " Z1815, R/W 50406524	15
20	" " Z1816, R/W 50406525	15
21	" " Z1817, R/W 50406526	15
22	" " Z1818, R/W 50406527	15

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
23	Assembly, Encapsulated Z1819, R/W 50406528	30
24	" " Z1820, R/W 50406529	15
25	" " Z1821, R/W 50406530	15
26	" " Z1822, R/W 50406531	15
27	" " Z1823, R/W 50406532	15
28	" " Z1824, R/W 50406533	15

COMPONENTS FOR JUNCTION BOX, MP 10667

1	Connector, AN3102A-20-27P	1
2	Connector, AN3102A-20-29SW	1
3	Connector, AN3102A-20-27S	1
4	Connector, AN3102A-24-28S	1
5	Connector, AN3102A-24-28P	1
6	Relay, Leach 9230	2
7	Relay, North Electric Co. 1R207-A	2
8	Switch, Mechanical Products MP-701	5
9	Switch, Mechanical Products MP-703	5

PARTS FOR SYSTEM III CABLES

1	Connector, Amphenol 165-26-1000	1
2	Connector, Coaxial UG-88-C/U	3
3	Connector, AN3106E-20-29PW	1

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
4	Connector, AN3106E-24-28P	3
5	Connector, AN3106E-20-27P	1
6	Connector, AN3108E-20-27S	1
7	Connector, Winchester MRE-7-PG	1
8	Connector, Winchester MRE-7S-GH/VL	1
9	Connector, Winchester MRE-21S	1
10	Hood, Connector, Winchester MRE-7H	1
11	Hood, Connector, Winchester MRE-21H	1
COMPONENTS FOR MODIFIED RECEIVER, MP 10968		
1	Switch, per R-W Dwg. No. 50406417	2
2	Board, Etched, per R-W Dwg. No. 50406426	1
3	Capacitor, Fixed, Metallized Paper, .0008 MFD-200V 10% Hopkins - 1K2682K	20
4	Capacitor, Fixed, Metallized Paper, .022 MFD-200V 10% Hopkins 1K2223K	15
5	Capacitor, Fixed, Glass, 1200 MMF 300V, 5%, Corning-Glass CY15C122J	15
6	Capacitor, Fixed, Glass, 470 MMF 500V, 5%, Corning-Glass CY15C471J	30
7	Capacitor, Fixed, Glass, 22 MMF 500V, 5%, Corning-Glass CY10C220J	40
8	Crystal, 8.000 MC, Submin. Type with Solder Leads MS 91377	5

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
9	Crystal, Subminiature, Type with solder leads, 8.350MC, MS-91377	5
10	Crystal, Subminiature Type with solder leads, 8.700MC, MS-91377	5
11	Crystal, Subminiature Type with solder leads, 9.050MC, MS-91377	5
12	Crystal, Subminiature Type with solder leads, 9.400MC, MS-91377	5
13	Crystal, Subminiature Type with solder leads, 9.750MC, MS-91377	5
14	Crystal, Subminiature Type with solder leads, 10.100MC, MS-91377	5
15	Crystal, Subminiature Type with solder leads, 10.450MC, MS-91377	5
16	Crystal, Subminiature Type with solder leads, 10.800MC, MS-91377	5
17	Crystal, Subminiature Type with solder leads, 11.150MC, MS-91377	5
18	Crystal, Subminiature Type with solder leads, 11.500MC, MS-91377	5
19	Crystal, Subminiature Type with solder leads, 11.850MC, MS-91377	5
20	Crystal, Subminiature Type with solder leads, 12.200MC, MS-91377	5
21	Crystal, Subminiature Type with solder leads, 12.550MC, MS-91377	5

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
22	Crystal, Subminiature Type with solder leads, 13.250MC, MS-91377	5
23	Crystal, Subminiature Type with solder leads, 13.600MC, MS-91377	5
24	Crystal, Subminiature Type with solder leads, 13.930MC, MS-91377	5
25	Diode, Hughes 6009	25
26	Diode, Texas Instruments 601-C	25
27	Switch, 3-position, Micro Switch J3-248	10
28	Switch, On-Off, Toggle, Micro Switch 6-AT-8	5
29	Tube, Vacuum, 6021	20
30	Transistor, Texas Instruments 953	25
31	Shield, Tube, Subminiature IERC T3-351-3	15
32	Spring, Tube, Subminiature IERC T-3-361	10
	COMPONENTS FOR TEST SET, MP 12417	
1	Bracket, Crystal Oscillator, per R-W Dwg. No. 50406001	2
2	Holder, Capacitor, per R-W Dwg. No. 50406011	5
3	Switch, Meter, Selector, per R-W Dwg. No. 50406015	5
4	Switch, Generator Selector, per R-W Dwg. No. 50406016	5
5	Switch, Receiver Selector, per R-W Dwg. No. 50406017	5
6	Switch, Channel Selector, per R-W Dwg. No. 50406019	5

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
7	Switch, Decade Function, per R-W Dwg. No. 50406020	5
8	Tool, Transformer Adjusting, per R-W Dwg. 50406035	10
9	Tool, Oscillator Tuning, per R-W Dwg. No. 50406036	10
10	Standard Plate, Long, per R-W Dwg. No. 50406038	10
11	Standard Plate, Short, per R-W Dwg. No. 50406039	10
12	Coil, Tuning, per R-W Dwg. No. 50406051	5
13	Transformer, Encapsulated, per R-W Dwg. No. 50406060	5
14	Attenuator, Coaxial, per R-W Dwg. No. 50406067	1
15	Hose, Blower, per R-W Dwg. No. 50406859	2
16	Blower, Multistage, Code MRZM, Rotron K-5-701	1
17	Bracket, Capacitor Sprague CP07SD3	5
18	Bracket, Capacitor Sprague CP07SG2	5
19	Box, Moorlee, MT-1036-051-400	1
20	Capacitor, Ceramic Trimmer 1.5-7 MMF, Erie 557-1.5	5
21	Capacitor, Temperature Compensating 1 MMF $\pm$.25 MMF TCZ-1 Centralab	5
22	Capacitor, Ceramic Trimmer, 3-12 MMF, Erie 557-3	5
23	Capacitor, Temperature Compensating 4.7MMF, TCZ-4.7 Centralab	5
24	Capacitor, 3-32 MMF, Type 30M-8 E. F. Johnson 160-130	5

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
25	Capacitor, Ceramic Trimmer, 10-100 MMF, Centralab 823-BN	5
26	Capacitor, Fixed Mica 15 MMF, 500V, 5%, Arco Elmenco CM15E150J	5
27	Capacitor, Fixed Mica 20 MMF, 500V, 5%, Arco Elmenco CM15E-200J	5
28	Capacitor, Fixed Mica 22 MMF, 500V, 5%, Arco Elmenco CM15E-220J	5
29	Capacitor, Fixed Mica 24 MMF, 500V, 5%, Arco Elmenco CM15E-240J	5
30	Capacitor, Fixed Mica 47 MMF, 500V, 5%, Arco Elmenco CM15E-470J	5
31	Capacitor, Fixed Mica 75 MMF, 500V, 5%, Arco Elmenco CM15E-750J	5
32	Terminal Board, Useco 8001-B2	2
33	Terminal Board, Useco 8001-C2	2
34	Capacitor, Fixed Mica 100 MMF, 500V, 5%, Arco Elmenco CM15E-101J	10
35	Capacitor, Fixed Mica 110 MMF, 500V, 5%, Arco Elmenco CM15E-111J	5
36	Capacitor, Fixed Mica 120 MMF, 500V, 5%, Arco Elmenco CM15E-121J	5
37	Capacitor, Fixed Mica 150MMF, 500V, 5%, Arco Elmenco CM15E-151J	5
38	Capacitor, Fixed Mica 160 MMF, 500V, 5%, Arco Elmenco CM15E-161J	5

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
39	Capacitor, Fixed Mica 470 MMF, 500V, 5%, Arco Elmenco CM20E-471J	5
40	Capacitor, Fixed Mica 470 MMF, 500V, 5%, Arco Elmenco CM15E-471J	5
41	Capacitor, 500 MMF with Mtg. foot, Underwood Type J-1-HF	5
42	Capacitor, Feed thru Ceramicon 1000 MMF, Erie 327-102	5
43	Capacitor, Fixed, Mica 1000 MMF, 500V, 5%, Arco Elmenco CM20E-102J	5
44	Capacitor, Fixed, Glass 1200 MMF, 500V, 5%, Corning Glass CY15C-122J	5
45	Capacitor, Fixed, Mica 1000 MMF, 500V, 5%, Arco Elmenco CM20E-102J	5
46	Capacitor, Fixed, Mica 2000 MMF, 500V, 5%, Arco Elmenco CM20E-202J	5
47	Capacitor, Fixed, Metallized Paper .0047 MFD, 200V, 10% Hopkins 1K2472K	5
48	Capacitor, Fixed, Ceramic Disc, .001 MFD, Erie 801-001	5
49	Capacitor, Fixed, Metallized Paper .001 MFD, 200V, 10%, Hopkins 1K2102K	5
50	Capacitor, Fixed, Metallized Paper .005 MFD, 200V, 10% Aerovore Type P123ZG	5
51	Capacitor, Fixed, Paper .01 MFD, 200V, 10%, Sprague or equiv. 196P10392S2	5
52	Capacitor, Fixed, Paper .01 MFD, 300V, Sprague 196P10393S2 of Equiv.	5

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
53	Capacitor, Fixed, Metallized Paper .01 MFD, 200V, 10% Hopkins 1K2103K	10
54	Capacitor, Fixed, Metallized Paper .015 MFD, 200V, 10% P0152HG	5
55	Capacitor, Fixed, Metallized Paper .022 MFD, 400V, 10% P0224HG	5
56	Capacitor, Fixed, Paper .22 MFD, 200V, 10%, Aerovox Type P123ZN	5
57	Capacitor, Fixed, Paper .22 MFD, 200V, Sprague 196P22492S2, or Equiv.	5
58	Capacitor, Fixed, Paper .47 MFD, 200V, Sprague 86P4792S1, or Equiv.	5
59	Capacitor, Fixed, Paper .1 MFD, 200V, Sprague 86P10492S1, or Equiv.	5
60	Capacitor, Fixed, Paper .1 MFD, 200V, 10%, Sprague 196P10492S2, or Equiv.	5
61	Capacitor, Fixed, Metallized Paper .1 MFD, 200V, 10%, Hopkins P12D	10
62	Capacitor, Fixed, Paper 1 MFD, 200V, Aerovox Type P123ZNG	5
63	Capacitor, Fixed, Paper 1 MFD, 200V, 10% Sprague 86P10592S15 or Hopkins D3KT2105K	10
64	Capacitor, Fixed, Paper 1 MFD, 300V, 10%, Sprague 86P10593S15 or Hopkins D3KT3105K	5
65	Capacitor, Fixed, Paper 1 MFD, 400V, 10%, Sprague 86P10594S15 or Hopkins D3KT4105	5

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
66	Capacitor, Fixed 4 MFD, 330VAC, Aerovox Type RY-666	5
67	Capacitor, Fixed 6 MFD, 1000V MILCP70 E1EG605K, JAN-C-25 MIL-C-252	5
68	Capacitor, Fixed 12 MFD, 250V, Sangamo SL-2512	5
69	Capacitor, Fixed 15 MFD, 1000V, CP7OE1EG156K, JAN-C-25, MIL-C-252	5
70	Choke, R-F 6.8 MH, Jeffers 10102-28	5
71	Choke, R-F .33 MH, Jeffers 10100-24	5
72	Choke, R-F .22 MH, Jeffers 10100-22	5
73	Choke, R-F, .15 MH, Jeffers 10100-20	10
74	Choke, R-F, 1.5 MH, Jeffers 10100-32	5
75	Choke, R-F, 3.3 MH, Jeffers 10102-20	5
76	Coil, R. F, Choke, 82 MH, Jeffers 10404-32	5
77	Coil, 1.5-3.2 MH, Miller 4404	5
78	Coil, Toroid, 50 MH, Hycor EM-14P	5
79	Catch-Draw Pull, R. Minto Co. SC-B-83314-42	5
80	Connector, Bendix PT06P-2041S	5
81	Connector, Bendix PT06P-2041SW	5
82	Connector, AN3101A-24-28S	5
83	Connector, AN3016A-24-28P	5

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED

FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
84	Connector, AN3106A-20-27S	5
85	Connector, AN3106B-20-27P	5
86	Connector, AN3108E-24-28S	5
87	Connector, AN3106E-24-28P	5
88	Connector, AN3102E-24-28S	5
89	Connector, AN3102A-20-27P	5
90	Connector, AN3102A-20-27S	5
91	Connector, Female, 3 Pin Polarized, Hubbel 7484	5
92	Connector, Amphenol 61-M10	5
93	Connector, Male, 3 Pin Polarized, Hubbel 5266	5
94	Clamp, AN3057-16A	5
95	Cover, Moorelee, MT40361-051-010	1
96	Counter, Decade, Hewlett Packard AC4A	2
97	Crystal, HC 6/U Holder, 103.325 MC	5
98	Crystal, .005%-55 C to 90° C, 108.925 MC	5
99	Crystal, .005%-55 C to 90° C, 114.525 MC	5
100	Crystal, .005%-55 C to 90° C, 120.125 MC	5
101	Crystal, .005%-55 C to 90° C, 124.675 MC	5
102	Crystal, .005%-55 C to 90° C, 141.475 MC	5

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
103	Crystal, .005%-55 C to 90° C, 147.075 MC	5
104	Crystal, HC 6/U Holder, $\frac{1}{2}$.005%, 30.275 MC	5
105	Crystal, " " 29.925 MC	5
106	Crystal, " " 29.575 MC	5
107	Crystal, " " 29.225 MC	5
108	Crystal, " " 28.875 MC	5
109	Crystal, " " 28.525 MC	5
110	Crystal, " " 28.175 MC	5
111	Crystal, " " 27.825 MC	5
112	Crystal, " " 130.275 MC	5
113	Crystal, " " 135.875 MC	5
114	Crystal, " " 27.475 MC	5
115	Crystal, " " 27.125 MC	5
116	Crystal, " " 26.775 MC	5
117	Crystal, " " 26.425 MC	5
118	Crystal, " " 26.075 MC	5
119	Crystal, " " 25.725 MC	5
120	Crystal, " " 25.375 MC	5
121	Crystal, " " 30.625 MC	5

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
122	Crystal, HC 6/U Holder, $\pm .005\%$, 28.690 MC	5
123	Crystal, HC 6/U Holder, $\pm .005\%$, 28.355 MC	5
124	Diode, Hughes 6008	10
125	Diode, Hughes 6009	10
126	Diode, Retma 1N99	10
127	Handle, Cambridge Thermionic Corp. X-1075	10
128	Handle, Relion Style, Philadelphia Briefcase Co. 253	5
129	Handle, Hardware (Nickel) Phila. Briefcase Co. 276	5
130	Holder, Fuse, Littlefuse 342001	5
131	Holder, Fuse, Littlefuse 342003	10
132	Jack, Tip Black, ICA-889 (Green)	10
133	Knob, Daka-Ware, 1114	5
134	Knob, Daka-Ware, 366-1	5
135	Knob, Daka-Ware, 365-1	5
136	Meter, Weston, 506 (0-1MA)	2
137	Motor Base, 3 Wire, M-Flush, Hubbel 7486	2
138	Light, Pilot Assembly, Clear, Dialco 95408-937	5
139	Light, Pilot Assembly, Clear, Dialco 81410-117	5
140	Light, Pilot Assembly, Green, Dialco 81410-112	5

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
141	Light, Pilot Assembly, Red, Dialco 81410-111	5
142	Reactor, Filter 8H, Chicago Transformer Co. RH-8250	5
143	Relay, 24 VDC, Potter Brumfield SM5DS	5
144	Cable, Power, General Radio Type CAP-35	2
145	Potentiometer, 500 Ohm, 2W, Ohmite CLU5011	5
146	Potentiometer, 50K, 2W, Ohmite CLU5031	5
147	Potentiometer, 2.5 meg, Dual Unit, Ohmite CLU5031	5
148	Potentiometer, 10K, 2W, Ohmite CLU1031	5
149	Resistor, Fixed, W/W, 710 Ohm, 25W, 5%, MIL-RW22G711J	5
150	Resistor, Fixed, W/W, 630 ohm, 15W, 5%, MIL-RW20G631J	5
151	Resistor, Fixed, W/W, 1.2K, 15W, 5%, MIL-RW20G122J	5
152	Resistor, Fixed, W/W, 350 ohm, 15W, 5%, MIL-RW20G351J	5
153	Resistor, Fixed, W/W, 180 ohm, 15W, 5%, MIL-RW20G181J	5
154	Resistor, Fixed, Wirewound, 7.5K, 10W, 5%, Sprague 10N1T, Koolohm	5
155	Resistor, Fixed, Wirewound, 1.5K, 5W, 5% Sprague 5 KT-5W	5
156	Shield, Base, Vector Elect. S-7	10
157	Shield, Base, Vector Elect. S-9	10
158	Shield, Tube, 1 3/8", 7 Pin, MIL-TS -102U01	5
159	Shield, Tube, 1 3/4", 7 Pin, MIL-TS -102U02	5

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
160	Shield, Tube, 1 1/2", 9 Pin, MIL-TS -103U01	5
161	Shield, Tube, 1 15/16", 9 Pin, MIL-TS -103U02	10
162	Slide Rail, Grant Pulley Co. 320-12" lg.	2
163	Socket, Tube, Elco 430 PH	10
164	Socket, Octal, Cinch Jones 8AM-MICA	5
165	Socket, Turret, Vector Elect. 8M-12-TJWP	5
166	Socket, Turret, Vector Elect. 8N-12-TJWP	5
167	Socket, 7 Pin, MIL-TS -102C01	5
168	Socket, 9 Pin, MIL-TS -103-C01	5
169	Socket, Tube, MIL-TS -101-P01	5
170	Strip, Barrier, Cinch Jones 5-140	5
171	Switch, Toggle, JAN ST-52K	5
172	Switch, J. B. T. Inst. Co. No. MS-20-1	5
173	Switch, Pushbutton, Switchcraft 1009	5
174	Switch, Toggle, JAN ST-42A	5
175	Switch, Rotary 3 Circuit, 4 Pos. Mallory 3234J	5
176	Transformer, Filament, Chicago Std. Trans. Co., FMS-610 MIL-MS-90022	5
177	Transformer, Power, Chicago Std. Trans. Co., PMS-250 MIL-MS-90030	5

EXHIBIT B

LIST OF BONDED SPARES TO BE STOCKED
FOR SYSTEM 3 REPAIR AND RETROFIT

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
178	Tube, MIL-E-1B, 12AT7	5
179	Tube, MIL-E-1B, 6AS6	5
180	Tube, MIL-E-1B, 5965	5
181	Tube, MIL-E-1B, 2D21	5
182	Tube, MIL-E-1B, 5670	5
183	Tube, MIL-E-1B, 12AU7	5
184	Tube, MIL-E-1B, 12AX7	5
185	Tube, MIL-E-1B, 6C4	5
186	Tube, MIL-E-1B, 6AL5	5
187	Tube, MIL-E-1B, 5686	5
188	Tube, 5R4WGY	5
189	Tube, OD3-W	5
190	Potentiometer, 2.5 MEG., Dual Unit, Ohmite CCU-2552	5